



Legislation Details (With Text)

File #: Int 1097-2013 **Version:** * **Name:** Requiring backup power sources for fire and life safety communications systems.

Type: Introduction **Status:** Filed

In control: Committee on Housing and Buildings

On agenda: 6/24/2013

Enactment date: **Enactment #:**

Title: A Local Law to amend the administrative code of the city of New York, in relation to requiring backup power sources for fire and life safety communications systems.

Sponsors:

Indexes:

Attachments: 1. Committee Report 6/27/13, 2. Hearing Testimony 6/27/13, 3. Hearing Transcript 6/27/13

Date	Ver.	Action By	Action	Result
6/24/2013	*	City Council	Introduced by Council	
6/24/2013	*	City Council	Referred to Comm by Council	
6/27/2013	*	Committee on Housing and Buildings	Hearing Held by Committee	
6/27/2013	*	Committee on Housing and Buildings	Laid Over by Committee	
6/27/2013	*	Committee on Environmental Protection	Hearing Held by Committee	
6/27/2013	*	Committee on Environmental Protection	Laid Over by Committee	
6/27/2013	*	Committee on Parks and Recreation	Hearing Held by Committee	
6/27/2013	*	Committee on Parks and Recreation	Laid Over by Committee	
6/27/2013	*	Committee on Transportation	Hearing Held by Committee	
6/27/2013	*	Committee on Transportation	Laid Over by Committee	
6/27/2013	*	Committee on Waterfronts	Hearing Held by Committee	
6/27/2013	*	Committee on Waterfronts	Laid Over by Committee	
12/31/2013	*	City Council	Filed (End of Session)	

Int. No. 1097

By Council Members Recchia, Chin, Fidler, Gentile, James, Koo, Koppell, Lander, Mendez, Richards, Rose, Van Bramer, Mark-Viverito and Ulrich

A Local Law to amend the administrative code of the city of New York, in relation to requiring backup power sources for fire and life safety communications systems.

Be it enacted by the Council as follows:

Section 1. The first paragraph of subsection 700.12(A) of section 27-3025 of the administrative code of the city of New York, as added by local law number 39 for the year 2011, is amended to read as follows:

700.12(A) Storage batteries may be used as a source of power for emergency lighting systems and shall be of suitable rating and capacity to supply and maintain the total load for a minimum period of 1½ hours, without the voltage applied to the load falling below 87½ percent of normal. Storage batteries shall be used as a source of power for emergency and life safety telecommunications systems and shall be of suitable rating and capacity to supply and maintain the total load for a minimum period of 8 hours, without the voltage applied to the load falling below 87 ½ percent of normal. Storage batteries may be used for other emergency systems only where special permission is granted for such use.

§ 2. This local law shall take effect immediately.

6/14/13 3:16PM
KET