



Legislation Details (With Text)

File #: Int 0814-2022 **Version:** A **Name:** Requiring a report indicating the quantities and locations of automated external defibrillators placed in public places.

Type: Introduction **Status:** Enacted
In control: Committee on Health

On agenda: 11/3/2022

Enactment date: 7/9/2023 **Enactment #:** 2023/091

Title: A Local Law to amend the administrative code of the city of New York in relation to requiring a report indicating the quantities and locations of automated external defibrillators placed in public places

Sponsors: Shekar Krishnan, Lynn C. Schulman, Lincoln Restler, Linda Lee, Farah N. Louis, Shahana K. Hanif, Rita C. Joseph, Shaun Abreu, Marjorie Velázquez, Charles Barron, Crystal Hudson, Gale A. Brewer, Alexa Avilés, Carlina Rivera, James F. Gennaro, David M. Carr

Indexes: Report Required

Attachments: 1. Summary of Int. No. 814-A, 2. Summary of Int. No. 814, 3. Int. No. 814, 4. November 3, 2022 - Stated Meeting Agenda, 5. Hearing Transcript - Stated Meeting 11-3-22, 6. Minutes of the Stated Meeting - November 3, 2022, 7. Committee Report 3/30/23, 8. Hearing Testimony 3/30/23, 9. Hearing Transcript 3/30/23, 10. Proposed Int. No. 814-A - 6/1/23, 11. Committee Report 6/8/23, 12. Hearing Transcript 6/8/23, 13. Committee Report - Stated Meeting, 14. June 8, 2023 - Stated Meeting Agenda, 15. Hearing Transcript - Stated Meeting 6-8-23, 16. Minutes of the Stated Meeting - June 8, 2023, 17. Int. No. 814-A (FINAL), 18. Fiscal Impact Statement, 19. Legislative Documents - Letter to the Mayor, 20. Local Law 91

Date	Ver.	Action By	Action	Result
11/3/2022	*	City Council	Introduced by Council	
11/3/2022	*	City Council	Referred to Comm by Council	
3/30/2023	*	Committee on Health	Hearing Held by Committee	
3/30/2023	*	Committee on Health	Laid Over by Committee	
6/8/2023	*	Committee on Health	Hearing Held by Committee	
6/8/2023	*	Committee on Health	Amendment Proposed by Comm	
6/8/2023	*	Committee on Health	Amended by Committee	
6/8/2023	A	Committee on Health	Approved by Committee	Pass
6/8/2023	A	City Council	Approved by Council	Pass
6/8/2023	A	City Council	Sent to Mayor by Council	
7/9/2023	A	Administration	City Charter Rule Adopted	
7/13/2023	A	City Council	Returned Unsigned by Mayor	

Int. No. 814-A

By Council Members Krishnan, Schulman, Restler, Lee, Louis, Hanif, Joseph, Abreu, Velázquez, Barron, Hudson, Brewer, Avilés, Rivera, Gennaro and Carr

A Local Law to amend the administrative code of the city of New York in relation to requiring a report indicating the quantities and locations of automated external defibrillators placed in public places

Be it enacted by the Council as follows:

Section 1. Subdivision d of section 17-188 of the administrative code of the city of New York, as added by local law number 20 for the year 2005, is amended to read as follows:

d. Reports. [The department shall conduct a comprehensive study and submit a report to the mayor and the council twelve months after the effective date of the local law that added this section. Such report shall include, but not be limited to, the quantities and locations of automated external defibrillators placed in public places pursuant to subdivision b of this section and the identification of any additional locations throughout the city of New York that warrant the placement of automated external defibrillators. Twenty-four months after the effective date of the local law that added this section, and annually thereafter for the next succeeding three years] No later than January 1, 2024, and every 6 months thereafter, the department shall submit to the mayor and the speaker of the council and post on the department's website a report indicating the quantities and locations of automated external defibrillators placed in public places pursuant to subdivision b of this section.

Such report shall include:

1. Location data for each such device;
2. Location names;
3. Location addresses; and
4. Where practicable, specific information describing the placement of each such device at a location, such as the floor, room, or stairwell.

Such report shall additionally specify whether each such automated external defibrillator is equipped with pediatric-attenuated pads or otherwise equipped with child-appropriate functionality. The department shall submit to the speaker of the council in a machine-readable format all raw data upon which the report required by this subdivision is based.

§ 2. This local law takes effect immediately.

IB/CP
LS #8934
5/31/23 4:58 PM